



ACCURATE & EASY TO USE

Discover a wide selections of our
sound measurement equipments according to your
sound measurement needs

**DOSIMETER SOUND LEVEL AND
ACOUSTIC DOSE MEASUREMENT**

PLACID PDO - 01

www.placidinstruments.com



New Calibrated
Instruments for
Registering Noise
and Vibration

Placid Instruments BV
Westplein 12-14 3016 BM Rotterdam The
Netherlands
+31103104907 
info@placidinstruments.com 
www.placidinstruments.com

PLACID Dosimeter Sound Level and Acoustic Dose Measurement



Application

Sound level and
acoustic dose
measurement
and recording.

Activity
detection and
logging.

Monitoring of
safe working
conditions.

Long-term
measurement
and recording
of acoustic
Levels for
environmental
impact
studies.

Specially
designed for
long-term
outdoors
applications.



New Calibrated Instruments for Registering Noise and Vibration

Placid Instruments BV
Westplein 12-14 3016 BM Rotterdam The Netherlands
+31103104907
info@placidinstruments.com
www.placidinstruments.com



Sound Level Meter Data Logger with Type 1 Microphone

- o Complies with the precision requirements of IEC61672-2002 Type I
- o A, C and Z weighting curves.
- o Integrating Sound-Level Meter, records L-max, L-min and Leq levels.
- o Log interval adjustable from 125 ms (8 points per second) up to hours.
- o Individual Manufacturer's Certificate of Calibration from Convergence Instrument provided with every instrument purchased.
- o Digital very sensitive MEMS microphone (30 dBA typical noise floor)
- o Completely sealed weatherproof enclosure designed for outdoors applications. Now includes an ePTFE membrane that seals the microphone against dust and water.
- o Ultra-stable sensitivity (field recalibration is easily done, but seldom required)
- o Software function calculates global Leq and/or dose, according to ISO and OSHA methods.
- o Preprogrammed recording start date/time.
- o Integrated oscilloscope function that can show the acoustic signal in real time.
- o Integrated spectral analyzer function that can show the spectrum (or 3rd-octave bands) in real time.
- o Works standalone, or USB connected.
- o Long life internal rechargeable battery that recharges from USB and most USB chargers.
- o Can be field-calibrated.
- o Observes and records 100% of the acoustic signal (no missed samples).